Roll N	o. :	
--------	------	--

Total No. of Questions: 16 ] [Total No. of Printed Pages: 4

## MATHSEM-118

# M.A./M.Sc. (Ist Semester) Examination Dec., 2022 MATHEMATICS

Paper - II

### (Advanced Complex Analysis)

Time: 3 Hours [ Maximum Marks: 50

The question paper contains three Sections.

Section-A (Marks :  $1 \times 9 = 9$ )

**Note**:— The candidate is required to answer all the *nine* questions carries 1 mark each. The answer should not exceed 50 words.

Section-B (Marks:  $4 \times 5 = 20$ )

**Note**:— The candidate is required to answer *five* questions by selecting at least *one* question from each Unit. Each question carries **4** marks. Answer should not exceed **200** words.

Section–C (Marks:  $7 \times 3 = 21$ )

**Note**:— The candidate is required to answer *three* questions by selecting *one* question from each Unit. Each question carries 7 marks. The answer should not exceed **500** words.

BRI-18 ( 1 ) MATHSEM-118 P.T.O.

#### Section-A

- 1. (i) Write polar form of Cauchy-Riemann equations.
  - (ii) State Cauchy's theorem for multiconnected domain.
  - (iii) State Lioville's theorem.
  - (iv) Define essential singular point.
  - (v) Find the residue of  $\frac{\cot \pi z}{(z-a)^2}$  at z=1.
  - (vi) Define residue at infinity.
  - (vii) Define meromorphic function.
  - (viii) Write argument principle.
  - (ix) Define analytic continuation.

#### Section-B

#### Unit-I

- 2. Show that the function  $f(z) = |xy|^{1/2}$  satisfies the Cauchy-Riemann equation at the origin but is not analytic at that point.
- 3. If f(z) is continuous on a contour C of length l and  $|f(z)| \le M$  for every point z on C, then prove that :

$$\left| \int_{\mathcal{C}} f(z) dz \right| \leq \mathbf{M}l$$

4. By considering the Laurent'z series for :

$$f(z) = \frac{1}{(1-z)(z-2)}$$

prove that:

$$\int_{C} f(z)dz = 2\pi i$$

where C is any closed contour within the annulus 1 < |z| < 2.

#### Unit-II

5. Use method of contour integration to prove that :

$$\int_0^{2\pi} \frac{d\theta}{1 + a^2 - 2a\cos\theta} = \frac{2\pi}{1 - a^2}, \quad 0 < a < 1$$

6. Find out the zeroes and discuss the nature of singularities of :

$$f(z) = \frac{z-2}{z^2} \sin \frac{1}{z-1}$$

7. State and prove Cauchy's residue theorem.

#### Unit-III

- 8. If a > e, use Rouche's theorem to prove that the equation  $e^z = az^n$  has n roots inside the circle |z| = 1.
- 9. Prove that there cannot be more than one different direct analytic continuations of an analytic function f(z) in the same domain.
- 10. Show that the power series:

$$z - \frac{z^2}{2} + \frac{z^3}{3} - \frac{z^4}{4} + \dots$$

may be analytically continued to a wider region by means of the series :

$$\log 2 - \frac{1-z}{2} - \frac{1}{2} \left(\frac{1-z}{2}\right)^2 - \frac{1}{3} \left(\frac{1-z}{2}\right)^3 - \dots$$

#### Section-C

#### Unit-I

11. If a function f(z) is an analytic function within and on a closed contour C and a is any point lying in it, then prove that :

$$f'(a) = \frac{1}{2\pi i} \int_{\mathcal{C}} \frac{f(z)}{(z-a)^2} dz$$

12. State and prove maximum modulus principle.

#### Unit-II

- 13. If a is an isolated essential singular point of f(z), then prove that for given any positive numbers  $\delta$ ,  $\varepsilon$  however small and any number b however large, there exists a point z in the circle  $|z-a| < \delta$  for which  $|f(z)-b| < \varepsilon$ .
- 14. Evaluate:

$$\int_0^\infty \frac{dx}{x^4 + a^4}, \qquad a > 0$$

#### Unit-III

- 15. State and prove Rauche's theorem.
- 16. State and prove Schwarz reflection principle for analytic functions.