Total No. of Questions: 16 ] [Total No. of Printed Pages: 4

# MATHSEM-120

# M.A./M.Sc. (Ist Semester) Examination Dec., 2022 MATHEMATICS

Paper - IV

(Calculus of Variation and Special Functions-I)

Time: 3 Hours ] [Maximum Marks: 50

The question paper contains three Sections.

Section-A (Marks :  $1 \times 9 = 9$ )

**Note**:— The candidate is required to answer all the *nine* questions carries 1 mark each. The answer should not exceed 50 words.

Section-B (Marks:  $4 \times 5 = 20$ )

**Note**:— The candidate is required to answer *five* questions by selecting at least *one* question from each Unit. Each question carries **4** marks. Answer should not exceed **200** words.

Section–C (Marks:  $7 \times 3 = 21$ )

**Note**:— The candidate is required to answer *three* questions by selecting at least *one* question from each Unit. Each question carries **7** marks. The answer should not exceed **500** words.

BRI-20 ( 1 ) MATHSEM-120 P.T.O.

### Section-A

- 1. (i) Explain any one special case of Euler-Lagrange equation.
  - (ii) What do you mean by Geodesics?
  - (iii) Write necessary condition for the functional:

$$I = \int_{x_1}^{x_2} f(x, y, y', y'') dx$$

to be an extremum.

(iv) Write the Euler-Lagrange equation for the functional:

$$I = [z(x, y)] = \iint \left\{ \left( \frac{\partial z}{\partial x} \right)^2 + \left( \frac{\partial z}{\partial y} \right)^2 \right\} dx \ dy$$

- (v) What is transversality condition?
- (vi) State Hamilton's principle.
- (vii) Prove that:

$$_{2}F_{1}(-n, 1; 1; -x) = (1 + x)^{n}$$

(viii) Prove that:

$$\lim_{a\to\infty} \frac{(a)_r}{a^r} = 1$$

(ix) Write orthogonal properties of Legendre's polynomials.

#### Section-B

#### Unit-I

- 2. Show that the shortest arc length joining the two points is a straight line.
- 3. Find the external of the functional:

$$I = \int_0^1 (1 + y''^2) dx$$

subject to the conditions:

$$y(0) = 0, y'(0) = 1, y(1) = 1, y'(1) = 1$$

4. Find any alternative form of Euler-Lagrange equation.

## Unit-II

5. Prove that for a functional of the form:

$$I[y(x)] = \int_{x_0}^{x_1} h(x, y) \sqrt{1 + y^{12}} dx$$

where  $h(x, y) \neq 0$  on the boundary curves, the extremals are orthogonal to the boundary curves.

6. Find the extremal of the functional:

$$\int_{t_1}^{t_2} (\dot{x}^2 + \dot{y}^2)^{1/2} dt$$

where  $\dot{x} = \frac{dx}{dt}$ ,  $\dot{y} = \frac{dy}{dt}$ .

7. Prove that:

$$\frac{d\mathbf{H}}{dt} = \frac{\partial \mathbf{H}}{\partial t}$$

where H is the Hamilton's function.

## Unit-III

8. Prove that:

$$\int_0^{\pi/2} \frac{d\theta}{(1-k^2\sin^2\theta)} = \frac{\pi}{2} \quad {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; 1; k^2\right), |k| < 1$$

9. Prove that:

$$(a - b)_2 F_1 = a_2 F_1(a+) - b_2 F_1(b+)$$

10. Prove that:

$$nP_{n} = xP_{n}^{'} - xP_{n-1}^{'}$$

# Section-C

#### Unit-I

11. Show that the time t[y(x)] spent by a particle on translation along a curve of y = y(x), moving with velocity  $\frac{ds}{dt} = x$  from the point (0, 0) to the point (1, 1) is minimum if the curve is a circle having its centre on y-axis.

12. Find the extremals of the functionals:

$$I[y(x), z(x)] = \int_0^{\pi/2} [2yz + (y')^2 + (z')^2] dx$$

satisfying y(0) = 0,  $y(\pi/2) = -1$ , z(0) = 0,  $z(\pi/2) = 1$ .

#### Unit-II

13. Find the extremals of the functional:

$$A = \int_{t_1}^{t_2} \frac{1}{2} (x\dot{y} - y\dot{x}) dt$$

subject to the integral constraint  $\int_{t_1}^{t_2} \sqrt{(\dot{x}^2 + \dot{y}^2)} dt = L$ .

14. Find the shortest distance between the circle  $x^2 + y^2 = 1$  and the straight line x + y = 4.

#### Unit-III

15. If m is a positive integer, then show that :

$${}_{2}F_{1}(-m,a+m;c;x) = \frac{x^{1-c}(1-x)^{c-a}}{\boxed{(c+m)}} \boxed{(c)} \frac{d^{m}}{dx^{m}} \left[ x^{c+m-1}(1-x)^{a-c+m} \right]$$

16. Establish:

$$\frac{1}{y-x} = \sum_{n=0}^{\infty} (2n+1) P_n(x) Q_n(y)$$